

SKILLATHON



# ACTIVITY

## JUNIOR

# PQA Plus®

# Vaccination Labels

### LABEL BACK

For use in healthy swine, 3 weeks of age or older, as an aid in the prevention of viremia, and as an aid in the reduction of virus shedding caused by porcine circovirus type 2, and as an aid in the control of pneumonia caused by *Mycoplasma hyopneumoniae*.

**DOSE:** Allow the vaccine to reach an ambient temperature of 16°- 27° C (60°- 80° F). Shake well and administer a 2.0 mL dose intramuscularly to healthy swine, 3 weeks of age or older, followed by a second 2.0 mL dose 3 weeks later. Duration of immunity is under development.

**CAUTIONS:** Store refrigerated at 2°- 7°C (35°- 45°F). Do not freeze. Use immediately after opening; do not save partial contents. Burn the container and all unused product. Use only in healthy swine. Do not vaccinate within 21 days of slaughter. Caution should be used to avoid injecting your own fingers, hands, or other body parts. Accidental injection can cause serious local reactions. Contact a physician immediately.

Please note that local reactions may occur at the injection sites in vaccinates, and most of these reactions resolve in 16 to 23 days following vaccination. Some systemic reactions may be seen following vaccination. If allergic reaction occurs, treat with epinephrine.

**PRESERVATIVES:** Gentamicin and thimerosal are added as preservatives.

FOR VETERINARY USE ONLY 90595002



Serial No:

Exp. Date:



SKILLATHON



# ACTIVITY


## JUNIOR

# PQA Plus®

# Vaccination Labels


### LABEL FRONT

**Porcine Circovirus Vaccine, Type 2,**  
Killed Baculovirus Vector,  
**Mycoplasma Hyopneumoniae Bacterin**

®

**Circumvent® PCV M**

50 doses 100 mL Code 029726

 **Intervet**  
Schering-Plough Animal Health

INTERVET INC., Omaha, NE 68103, USA  
www.intervetusa.com 1-800-521-5767  
U.S. Veterinary License No. 165A

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



SKILLATHON



# ACTIVITY

## JUNIOR

# PQA Plus®

# Vaccination Labels

### IDENTIFICATION LABELS

(CUT OUT EACH LABEL)

DOSAGE

ACTIVE  
INGREDIENTS

STORAGE

NAME OF  
DRUG

WITHHOLDING  
TIMES

QUANTITY  
OF CONTENTS

CAUTIONS &  
WARNINGS

NAME OF  
DISTRIBUTOR



SKILLATHON



# KEY JUNIOR PQA Plus® Vaccination Labels

## LABEL BACK

For use in healthy swine, 3 weeks of age or older, as an aid in the prevention of viremia, and as an aid in the reduction of virus shedding caused by porcine circovirus type 2, and as an aid in the control of pneumonia caused by *Mycoplasma hyopneumoniae*.

**DOSE:** Allow the vaccine to reach an ambient temperature of 16°- 27° C (60°- 80° F). Shake well and administer a 2.0 mL dose intramuscularly to healthy swine, 3 weeks of age or older, followed by a second 2.0 mL dose 3 weeks later. Duration of immunity is under development.

**CAUTIONS:** Store refrigerated at 2°- 7°C (35°- 45°F). Do not freeze. Use immediately after opening; do not save partial contents. Burn the container and all unused product. Use only in healthy swine. Do not vaccinate within 21 days of slaughter. Caution should be used to avoid injecting your own fingers, hands, or other body parts. Accidental injection can cause serious local reactions. Contact a physician immediately.

Please note that local reactions may occur at the injection sites in vaccinates, and most of these reactions resolve in 16 to 23 days following vaccination. Some systemic reactions may be seen following vaccination. If allergic reaction occurs, treat with epinephrine.

**PRESERVATIVES:** Gentamicin and thimerosal are added as preservatives.

FOR VETERINARY USE ONLY 90595002



Serial No:

Exp. Date:

DOSAGE

STORAGE

WITHHOLDING  
TIMES

CAUTIONS &  
WARNINGS



SKILLATHON



# KEY JUNIOR PQA Plus® Vaccination Labels

## LABEL FRONT

**Porcine Circovirus Vaccine, Type 2,**  
Killed Baculovirus Vector,  
**Mycoplasma Hypopneumoniae Bacterin**

**Circumvent® PCV M**

50 doses 100 mL Code 029726

**Intervet**  
Schering-Plough Animal Health

INTERVET INC., Omaha, NE 68103, USA  
www.intervetusa.com 1-800-521-5767  
U.S. Veterinary License No. 165A

**ACTIVE INGREDIENTS**

**NAME OF DRUG**

**QUANTITY OF CONTENTS**

**NAME OF DISTRIBUTOR**



# INSTRUCTIONS

## SKILLATHON



## JUNIOR PQA Plus® Vaccination Labels

### Junior PQA Plus® Vaccination Labels Instructions

- There are two vaccine labels at your station with 4 blanks each.
- Have each participant is to match the correct label with the area on the medication label.
- Once the participant has finished matching the labels to the vaccine label circle the number that they got correct on their colored score sheet.

**Scoring:** Each correct label is worth 3 points each for a total of 24 points. Every participant will receive 1 free point making this station a grand total of 25 points.

**\*\*This station has a total of 25 points.\*\***

**\*\*Please remember to add the free point.\*\***

*Thank you very much for volunteering to help with the skillathon. Please remember to complete the skillathon facilitator information sheet and leave it on your stations table at the end of the competition. **Thank You!!***



**SKILLATHON**



---

**STATION #** \_\_\_\_\_

---

**JUNIOR**

**PQA Plus<sup>®</sup>**

**Vaccination Labels**

