

SKILLATHON



ACTIVITY

JUNIOR

How To Read a Feed Tag

Circle the correct answer for each question.

- How many active drug ingredients are in this feed?
 - 3
 - 4
 - 1
 - 6
- What is the minimum crude protein level?
 - 19.0%
 - .03%
 - 1.9%
 - 1.10%
- For how many days prior to harvest should this feed be removed?
 - 14
 - 11
 - 12
 - 10
- What is the minimum crude fat level of this diet?
 - 6.0%
 - 5.0%
 - 4.0%
 - 1.10%
- Is ground limestone included in the ingredients of this diet?
 - Yes
 - No
- At what stage of growth should this ration be fed?
 - For pigs from 200 pounds to 270 pounds
 - For pigs from 130 pounds to 175 pounds
 - For pigs from 30 pounds to 75 pounds
 - For pigs from 80 pounds to 160 pounds

Pig Grower Medicated
FOR PIGS FROM 30 POUNDS TO 75 POUNDS

ADMINISTER TO SWINE IN A COMPLETE FEED FOR REDUCTION OF THE INCIDENCE OF CERVICAL ABSCESSSES; TREATMENT OF BACTERIAL SWINE ENTERITIS (SALMONELLOSIS OR NECROTIC ENTERITIS CAUSED BY SALMONELLA CHOLERAESUIS AND VIBRIONIC DYSENTERY). MAINTENANCE OF WEIGHT GAINS IN THE PRESENCE OF ATROPHIC RHINITIS.

ACTIVE DRUG INGREDIENT
CHLOROTETRACYCLINE.....100 G/TON

GUARANTEED ANALYSIS

CRUDE PROTIEIN.....	MIN 19.00%
LYSINE.....	MIN 1.10%
CRUDE FAT.....	MIN 5.00%
CRUDE FIBER.....	MIN 4.00%
CALCIUM.....	MIN 0.60%
CALCIUM.....	MAX 1.10%
PHOSPHORUS.....	MIN 0.55%
SALT.....	MIN 0.40%
SALT.....	MAX 0.90%
SELENIUM.....	MIN 03.0 PPM
ZINC.....	MIN 140.00 PPM

INGREDIENTS

Grain Products, Plant Protein Products, Processed Grain By-Products, Animal Fat, Animal Protein Products, Calcium Phosphate, Lignin Sulfonate, Ground Limestone, Salt, L-Lysine Monohydrochloride, Methionine Supplement, Zinc Oxide, Zinc Sulfate, Ferrous Sulphate, Manganous Oxide, Copper Sulfate, Calcium Iodate, Sodium Selenite, Vitamin A Acetate, Vitamin D-3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulphite, Riboflavin Supplement, Niacin, Calcium Pantothenate, Vitamin B-12 Supplement, Thiamione Mononitrate, Folic Acid, Choline Chloride, Pyridoxine Hydrochloride, Biotin, Ethoxyquin (As a Preservative)

FEEDING DIRECTIONS

FEED as only ration to pigs weighing from 30 pounds to 75 pounds bodyweight.
CAUTION: In order to obtain the desired performance results, the animals should be self fed.
WARNING: Withdraw 10 days prior to harvest; contains high levels of copper, do not feed to sheep.

MANUFACTURED BY:
SKILLATHON FEED

NET WEIGHT 50 POUNDS (22.7 KILOGRAMS) OR AS SHOWN ON SHIPPING DOCUMENT



SKILLATHON



KEY JUNIOR How To Read a Feed Tag

Circle the correct answer for each question.

- How many active drug ingredients are in this feed?
 - 3
 - 4
 - 1
 - 6
- What is the minimum crude protein level?
 - 19.0%
 - .03%
 - 1.9%
 - 1.10%
- For how many days prior to harvest should this feed be removed?
 - 14
 - 11
 - 12
 - 10
- What is the minimum crude fat level of this diet?
 - 6.0%
 - 5.0%
 - 4.0%
 - 1.10%
- Is ground limestone included in the ingredients of this diet?
 - Yes
 - No
- At what stage of growth should this ration be fed?
 - For pigs from 200 pounds to 270 pounds
 - For pigs from 130 pounds to 175 pounds
 - For pigs from 30 pounds to 75 pounds
 - For pigs from 80 pounds to 160 pounds

**Pig Grower
Medicated**

FOR PIGS FROM 30 POUNDS TO 75 POUNDS

ADMINISTER TO SWINE IN A COMPLETE FEED FOR REDUCTION OF THE INCIDENCE OF CERVICAL ABSCESSSES; TREATMENT OF BACTERIAL SWINE ENTERITIS (SALMONELLOSIS OR NECROTIC ENTERITIS CAUSED BY SALMONELLA CHOLERAESUIS AND VIBRIONIC DYSENTERY). MAINTENANCE OF WEIGHT GAINS IN THE PRESENCE OF ATROPHIC RHINITIS.

ACTIVE DRUG INGREDIENT
CHLOROTETRACYCLINE.....100 G/TON

GUARANTEED ANALYSIS

CRUDE PROTIEIN.....	MIN 19.00%
LYSINE.....	MIN 1.10%
CRUDE FAT.....	MIN 5.00%
CRUDE FIBER.....	MIN 4.00%
CALCIUM.....	MIN 0.60%
CALCIUM.....	MAX 1.10%
PHOSPHORUS.....	MIN 0.55%
SALT.....	MIN 0.40%
SALT.....	MAX 0.90%
SELENIUM.....	MIN 03.0 PPM
ZINC.....	MIN 140.00 PPM

INGREDIENTS

Grain Products, Plant Protein Products, Processed Grain By-Products, Animal Fat, Animal Protein Products, Calcium Phosphate, Lignin Sulfonate, Ground Limestone, Salt, L-Lysine Monohydrochloride, Methionine Supplement, Zinc Oxide, Zinc Sulfate, Ferrous Sulphate, Manganous Oxide, Copper Sulfate, Calcium Iodate, Sodium Selenite, Vitamin A Acetate, Vitamin D-3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulphite, Riboflavin Supplement, Niacin, Calcium Pantothenate, Vitamin B-12 Supplement, Thiamione Mononitrate, Folic Acid, Choline Chloride, Pyridoxine Hydrochloride, Biotin, Ethoxyquin (As a Preservative)

FEEDING DIRECTIONS

FEED as only ration to pigs weighing from 30 pounds to 75 pounds bodyweight.
CAUTION: In order to obtain the desired performance results, the animals should be self fed.
WARNING: Withdraw 10 days prior to harvest; contains high levels of copper, do not feed to sheep.

MANUFACTURED BY:
SKILLATHON FEED

NET WEIGHT 50 POUNDS (22.7 KILOGRAMS) OR AS SHOWN ON SHIPPING DOCUMENT



INSTRUCTIONS

SKILLATHON



JUNIOR How To Read a Feed Tag

Junior Swine Equipment ID Instructions

- Each participant must circle one correct answer for each question.

Scoring: Each correct question is worth 4 points with 1 free point for a total of 25 points.

****This station has a total of 25 points.****

****There cannot be more than 25 points scored for this station****

Thank you very much for volunteering to help with the skillathon. Please remember to complete the skillathon facilitator information sheet and leave it on your stations table at the end of the competition. Thank You!!



SKILLATHON



STATION # _____

JUNIOR

**How to Read
A Feed Tag**

