



Jeffrey D. Logue, D.V.M.

VACCINE PROTOCOL FOR PURCHASED SHOW PIGS - JUNE 2018

Many Show Pig Breeders are doing an excellent job vaccinating their pigs. However, not all pigs respond to the vaccines properly the first time they are given. I strongly recommend that all pigs be re-vaccinated once they are in your showbarn no matter what vaccine were previously given. The protection will be well worth the investment. The vaccines can be given once your entire set is in place.

1. Fostera PRRS one dose
 2. Fostera PCV HM two doses. Booster given 2 to 3 weeks after initial dose.
 3. Flusure XP two doses. Booster given 2 to 3 weeks after initial dose OR Provenza Intranasal Flu Vaccine
 4. Dectomax on arrival and once monthly to control mange and intestinal parasites.
-
- A. Fostera PRRS vaccine only comes in a 50 dose bottle and is only good for 2 hours after it is mixed. The vaccine will not be effective if used after this time frame.
 - B. Flusure XP only comes in a 50 dose bottle and must be mixed. The Flusure XP is stable once mixed until the expiration date as long as it is stored properly.
 - C. Provenza must be mixed and is only good for 2 hours once mixed
 - D. Foster PCV HM only comes in a 50 dose bottle and is good until the expiration date as long as it is refrigerated.



SHOW PIG/SOW HERD VACCINE PROTOCOL - JUNE 2018

This is a general outline of vaccines that I recommend. Each herd is different and you should consult with your veterinarian about a program that will work in your herd.

Sows

1. Flusure XP/Respire One Whole herd every 6 months
2. Foster PRRS Whole herd every 6 months
Foster PRRS is safe to give to Bred Sows from day 45 of gestation to one week pre farrowing.
3. Farrowure B Gold One dose at or right before weaning
4. Prosystem RCE Scour vaccine or Littergaud LTC 2 weeks pre farrowing unless they have never had this vaccine then it should be given 4 and 2 weeks pre farrowing.
5. Dectomax Injectable 5 days prior to farrowing

Gilts Pre Breeding

1. Flusure XP/Respire One Two doses two weeks apart
2. Farrowure B Gold Two doses two weeks apart
3. Foster PRRS One dose
4. Dectomax

Gilts Pre Farrowing

1. Prosystem RCE or Littergaud LTC Two doses 4 and 2 weeks pre farrowing
2. Dectomax Injectable 5 days prior to farrowing

Pigs at Processing

1. Iron Injection
2. Respire One 2cc dose
3. Draxxin 0.1cc (25mg/ml)
4. Exceed 0.2cc

Pigs at Weaning

1. Foster PCV HM Repeat in 2 to 3 weeks
2. Flusure XP/ER Bac Plus Repeat in 2 to 3 weeks
3. Foster PRRS One dose
4. Draxxin 0.2cc (25mg/ml)
5. Dectomax

If your herd has specific disease conditions that exist then there are medications/vaccines that can be used to treat these. If there is a problem in your herd the best action to take is to call a veterinarian and have testing performed to find out what the disease is and what medication and or vaccine can be used to treat the problem.



DR. JEFF LOGUE
Logue's Champion Veterinary Services
Richmond, IN